

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE 08/24/2001		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/938,291			Shunpei Yamazaki	0756-2353			
31780	7590	04/19/2004		EXAMINER			
ERIC ROB	ERIC ROBINSON				ROY, SIKHA		
PMB 955 21010 SOUT	TUD A NIV	CT .		ART UNIT	PAPER NUMBER		
POTOMAC				2879			

DATE MAILED: 04/19/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

				M			
	Applica	ati n No.	Applicant(s)				
	09/938	,291	YAMAZAKI ET AL.				
Office Action Summar	Examir	er	Art Unit				
	Sikha f		2879				
The MAILING DATE of this con Period f r R ply	munication appears on	he c ver sheet with the c	orrespondence addr	ess			
A SHORTENED STATUTORY PERIOD THE MAILING DATE OF THIS COMMON - Extensions of time may be available under the properties of this lift the period for reply specified above is less than the seriod for reply is specified above, the maximum - Failure to reply within the set or extended period for Any reply received by the Office later than three meanned patent term adjustment. See 37 CFR 1.70	MUNICATION. visions of 37 CFR 1.136(a). In no secommunication. hirty (30) days, a reply within the second statutory period will apply and or reply will, by statute, cause the abouths after the mailing date of this	event, however, may a reply be tirestatutory minimum of thirty (30) day of will expire SIX (6) MONTHS from application to become ABANDONE	mely filed ys will be considered timely. the mailing date of this comi	munication.			
Status							
1) Responsive to communication(	s) filed on 26 January 2	004.					
2a) This action is <b>FINAL</b> .	2b)⊠ This action is						
• •	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1-21,23-39 and 41-64 4a) Of the above claim(s) 5) Claim(s) is/are allowed. 6) Claim(s) 1-21,23-39 and 41-64 7) Claim(s) is/are objected 8) Claim(s) are subject to r  Application Papers  9) The specification is objected to 10) The drawing(s) filed on is Applicant may not request that any	is/are withdrawn from dis/are rejected. to. estriction and/or election by the Examiner. s/are: a) □ accepted or	n requirement.  b) □ objected to by the					
Replacement drawing sheet(s) inc	uding the correction is req	uired if the drawing(s) is ob	pjected to. See 37 CFR	` '			
Priority under 35 U.S.C. § 119	·						
12) △ Acknowledgment is made of a can a) △ All b) ☐ Some * c) ☐ None  1. △ Certified copies of the properties of the properties of the certified copies of the properties of the certified copies of the certified copies of the properties of the certified copies of the ce	of: ority documents have b ority documents have b pies of the priority docu national Bureau (PCT R	een received. een received in Applicat ments have been receive Rule 17.2(a)).	ion No ed in this National St	tage			
Attachment(s)			,				
1) Notice of References Cited (PTO-892)		4) Interview Summary					
<ol> <li>Notice of Draftsperson's Patent Drawing Rev</li> <li>Information Disclosure Statement(s) (PTO-14 Paper No(s)/Mail Date <u>0104</u>.</li> </ol>		Paper No(s)/Mail D 5) Notice of Informal F 6) Other:		52)			

Art Unit: 2879

#### **DETAILED ACTION**

The Amendment, filed on January 26, 2004 has been entered and is acknowledged by the Examiner.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 4 and 57 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent Application 2001/0045565 to Yamazaki.

The applied reference has a common inventor with the instant application.

Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Referring to claim 1 Yamazaki discloses (page 3 section [0054], [0055], page 5 section [0077], page 6 sections [0111] – [0114] Figs. 3 and 9) a light emitting device comprising a substrate having a pixel portion, one first element in the pixel portion, the first EL element (light emitting layer 915 which emits red color) comprising a first EL

Art Unit: 2879

layer comprising a triplet compound, one second EL element in the pixel portion, the second element (light emitting layer 916 which emits green color) comprising a singlet compound. EL elements emitting red, green and blue light, constitute a pixel.

Regarding claims 4 and 57 Yamazaki discloses (page 8 section [0136] Figs. 13A-13F, 14A, 14B) the light-emitting device used in electric appliance such as navigation system, portable telephone, portable computer.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2, 5, 20, 23, 58 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application 2001/0045565 to Yamazaki and further in view of U.S. Patent 6,097,147 to Baldo et al. and U.S. Patent 5,457,565 to Namiki et al.

Yamazaki does not disclose EL layers comprising plurality of hole transporting layers.

Baldo in analogous art of electroluminescent device discloses (column 5 lines 63-65, column 6 lines 5-15, Fig. 3) light emitting device comprising a substrate having a pixel portion with plurality of EL elements, each EL element comprising of anode 511, hole transporting layer 512, electroluminescent layer 513, hole blocking layer 514, electron transporting layer 515 and cathode 516 formed in this order on the substrate

Art Unit: 2879

510. Baldo further discloses (column 2 lines 25-31) this structure of light emitting devices provides enhanced efficiency of the device.

Therefore it would have been obvious to one of ordinary skill in the art to modify the two EL elements in the pixel portion of the light emitting device of Yamazaki by the multiple layer configuration disclosed by Baldo for providing enhanced efficiency of the device.

Regarding claim 2 Yamazaki and Baldo do not disclose at least one of the first and second EL layers comprising a plurality of hole transporting layers.

Namiki et al. in analogous art of organic electroluminescent device disclose (column 4 lines 15-27, 60-67 Fig.6) the EL device comprising two positive hole transporting layers 4a and 4b. The first layer 4a made of MTDATA has a high melting point and a high glass transition point and is hardly crystallized and further has an excellent thin-film formation property. The first hole transporting layer having high conductivity prevents undesired heat influence to the second layer upon application of electric currents.

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to modify the single hole transporting layer (NPD) of the device of Yamazaki and Baldo et al. by adding another layer of MTDATA below and in contact with anode as taught by Namiki et al. for preventing undesired heat influence to the layer on the top, upon application of electric currents.

Art Unit: 2879

Claims 5 and 58 recite the same limitations as of claim 2, the light emitting device being used in an electric appliance such as computer monitor, telecommunication device and hence are rejected for the same reason as of claim 2.

Regarding claims 20 and 23 Yamazaki, Baldo and Namiki et al. disclose the hole transporting layer has a laminate structure of two layers containing MTDATA and  $\alpha$ -NPD.

Claims 3,6-19, 21, 24-39, 41-56, 59 - 64 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Application 2001/0045565 to Yamazaki, U.S. Patent 6,097,147 to Baldo et al. and U.S. Patent 5,457,565 to Namiki et al. and further in view of U.S. Patent 5,928,802 to Shi et al.

Regarding claim 3 Yamazaki, Baldo and Namiki et al. do not exemplify the hole injection layer in contact with the anode and deposited under the hole transporting layer.

Shi et al. in relevant art of organic electroluminescent devices disclose (column 4 lines 45-55 Fig.3) a hole injection layer 310 in contact with the anode 304 to improve the injection efficiency of the anode.

Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to include a hole injection layer as taught by Shi et al. in between the anode and the hole transport layer of the EL device of Yamazaki, Baldo and Namiki to improve the injection efficiency of the anode.

Claim 60 essentially recites the same limitation of claim 3 and hence is rejected for the same reason.

Art Unit: 2879

Claims 6, 59, 61 and 64 recite the same limitations as of claim 3, the light emitting device being used in an electric appliance and hence are rejected for the same reason as of claim 3.

Regarding claim 7 Shi et al. disclose the hole injection layer made of copper phthalocyanine (column 6 line6). Yamazaki, Baldo et al. and Namiki et al. disclose (column 6 lines 5-17) the hole transporting layer containing MTDATA and α-NPD, light emitting layer containing CBP doped with PtOEP, the hole blocking layer containing BCP and the electron transporting layer containing Alq<sub>3</sub>.

Yamazaki, Baldo, Namiki and Shi et al. do not disclose the light emitting layer containing CBP and Ir (ppy)<sub>3</sub>. The selection of known material for a known purpose is generally considered to be within the skill of the art. It would have been obvious to use CBP doped with Ir (ppy)<sub>3</sub> (both CBP with PtOEP and CBP with Ir (ppy)<sub>3</sub> being triplet compounds emitting different colors) because the selection of known materials for a known purpose is within the skill of art.

Regarding claim 8 Baldo et al. disclose (column 4 lines 38-67, column 5 lines 1-35) different light emissive organic compounds for blue, green and red emission. It is well known (as evidenced by Namiki and Shi et al.) in the art that a preferred embodiment of a luminescent layer comprises multi-component material consisting of a host material doped with one or more components of fluorescent dyes and EL devices can be tuned by using fluorescent dyes of different emission wavelengths in a common host material. For EL element containing triplet compounds the suitable host material is CBP and green, blue and red phosphors may be chosen to emit green, blue and red

Art Unit: 2879

light respectively. Shi et al. disclose tris (8-quinolinato) aluminum which produces excellent green luminescence. Blue dopants include tetracene, perylene and other conjugated benzenoids. Coumarins, rhodamins are used as dopants for EL emissions at longer wavelengths. A pixel portion referring to an addressable unit contains pixels of red, green and blue light emission. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to select the first EL element with triplet compound of Baldo et al. emitting red light and other second element emitting blue or green as disclosed by Shi et al. for producing multicolor display screen.

Claims 9-19 essentially recite the same limitation as of claim 8 selecting different combination of color of the emitted light from first and second EL elements and hence are rejected for the same reason.

Claim 21 essentially recites the same limitation as of claim 20 and hence is rejected for the same reason (see rejection of claim 20).

Claims 24-38 and 62,63 essentially recite the same limitation as of claim 23 and hence are rejected for the same reason (see rejection of claim 23).

Referring to claim 39 Yamazaki, Baldo and Namiki et al. disclose the first layer of the hole transporting layer is made of MTDATA for its high conductivity and excellent thin-film formation property and the second layer is made of  $\alpha$ -NPD and the light emitting layer is in contact with the second hole transporting layer. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to specify the second layer containing  $\alpha$ -NPD sandwiched between the first hole transporting layer containing MTDATA and light emitting layer of Yamazaki, Baldo and Namiki et al.

Art Unit: 2879

Claims 41-56 essentially recite the same limitation as of claim 39 and hence are rejected for the same reason (see rejection of claim 39).

## Response to Arguments

Applicant's arguments with respect to claims 1 and 4 have been considered but are most in view of the new ground(s) of rejection.

#### **Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sikha Roy whose telephone number is (571) 272-2463. The examiner can normally be reached on Monday-Friday 8:00 a.m. – 4:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar D. Patel can be reached on (571) 272-2457. The fax phone number for the organization is (703) 308-7382.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

5.P

Sikha Roy Patent Examiner Art Unit 2879

ASHOK PATEL
PRIMARY EXAMINER